ina linear rail price list

Our cpmpany offers different ina linear rail, ina linear technology, ina linear technology, ina linear rail catalogue at Wholesale Price?Here, you can get high quality and high efficient ina linear rail

INA Linear Technology - the Schaeffler Groupfor high-quality rolling bearing technology as well as components and systems for the auto- motive industry. INA linear guidance systems have been an

INA Linear Rolling Bearings and Linear Plain Bearings | E.B.INA Linear Bearings are bearing elements for translation type motion. As in the case of rotary bearings, a distinction is drawn as to whether the forces occurring Product Portfolio | Schaeffler Group USA IncThe product spectrum includes rolling and plain bearings, linear and direct drive technology, as well as service features such as maintenance products and

| | @@@@@@@ | | | | | | | | |
|----------------|---------|--------|----------|--------|---|---------|---|--------|--|
| | h | d | Т | С | Α | Н | U | F | |
| 230/710B | - | - | - | - | - | - | - | - | |
| <u>K</u> | | | | | | | | | |
| <u>SF9211</u> | - | 77,788 | - | - | - | - | - | - | |
| | | mm | | | | | | | |
| <u>NU206E</u> | • | 105 mm | - | 20 mm | - | - | - | - | |
| NK73/25R | • | 28 mm | 20,25 mm | 16 mm | - | - | - | - | |
| NA6910R | - | 46,038 | - | • | - | - | - | - | |
| | | mm | | | | | | | |
| <u>7224C</u> | - | - | - | - | - | - | - | - | |
| <u>NU1010</u> | - | - | - | - | - | - | - | - | |
| NNU4926 | - | 40 mm | - | - | - | - | - | - | |
| KC1NAP4 | | | | | | | | | |
| NK19/20R | - | - | - | - | - | - | - | - | |
| +IR15×19 | | | | | | | | | |
| <u>×20</u> | | | | | | | | | |
| 4T-576/57 | - | - | - | 140 mm | - | - | - | - | |
| <u>2</u> | | | | | | | | | |
| DF0484N | - | - | - | - | - | - | - | - | |
| X | | | | | | | | | |
| HUB082-1 | - | - | - | - | - | 220 mm | - | - | |
| <u>3</u> | | | | | | | | | |
| NUP315R | - | - | - | - | - | - | - | 450 mm | |
| <u>7309</u> | - | 190 mm | - | - | - | - | - | - | |
| <u>6905Z</u> | - | - | - | - | - | 474.663 | - | - | |
| | | | | | | mm | | | |
| RNA5914 | - | 550 mm | - | - | - | - | - | - | |
| UCPH205 | 165 mm | - | - | - | - | - | - | - | |
| | | | | | | | | | |

| <u>-15</u> | | | | | | | | |
|--------------|--------|----------|----------|-------|---|---|---|---|
| <u>6317N</u> | 46.831 | - | - | - | - | - | - | - |
| | mm | | | | | | | |
| 3NCHAR0 | - | 25 mm | - | - | - | - | - | - |
| <u>17</u> | | | | | | | | |
| 24132RH | - | 20.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| 34306/34 | - | - | 45.3 mm | - | - | - | - | - |
| <u>478</u> | | | | | | | | |
| <u>51230</u> | - | - | - | - | - | - | - | - |
| KBC055 | - | - | - | - | - | - | - | - |
| K60X65X | - | - | - | - | - | - | - | - |
| 30FH | | | | | | | | |
| DAC3055 | - | 8.250 in | - | - | - | - | - | - |
| GRR9D | | | | | | | | |
| UCP210S | - | 70.000 | - | - | - | - | - | - |
| <u>C</u> | | mm | | | | | | |
| <u>45368</u> | - | - | - | - | - | - | - | - |
| 3NC 7207 | - | 280 mm | - | - | - | - | - | - |
| FT | | | | | | | | |
| 3NCHAR0 | - | 230.000 | - | - | - | - | - | - |
| <u>09CA</u> | | mm | | | | | | |
| 63/28 | - | 45 mm | - | - | - | - | - | - |
| NU230R | - | 55.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| <u>N410</u> | - | - | - | - | - | - | - | - |
| UCP328 | - | - | - | - | - | - | - | - |
| UCIP320- | - | 110 mm | - | - | - | - | - | - |
| <u>64</u> | | | | | | | | |
| ST2857-N | - | 75.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| NN3016 | - | 220 mm | - | - | - | - | - | - |
| UCFL213- | - | 80.000 | - | - | - | - | - | - |
| <u>40</u> | | mm | | | | | | |
| DC5011N | - | - | - | - | - | - | - | - |
| K75X81X | - | 100.000 | - | - | - | - | - | - |
| <u>20F</u> | | mm | | | | | | |
| SE 6008 | - | - | 26.75 mm | - | - | - | - | - |
| ZZSTPRZ | | | | | | | | |
| UCP206-1 | - | 190 mm | - | - | - | - | - | - |
| 8 | | | | | | | | |
| RAXZ 535 | - | - | - | 53 mm | - | - | - | - |
| KDA075 | - | 65 mm | - | - | - | - | - | - |
| NJ214 | _ | 50.000 | _ | _ | - | - | _ | - |
| | | mm | | | | | | |
| HI-CAP | _ | - | _ | - | - | - | _ | - |
| | | l | 1 1 | | | | | l |

| TR0608A | | 1 | | | | | | |
|---------------------|--------|--------------|---------|--------|----------|--------------|-----------|---|
| <u>6940</u> | - | - | - | - | - | - | - | - |
| DC4928A | - | - | - | - | - | - | - | - |
| <u>VW</u> | | | | | | | | |
| UCFB207 | - | - | - | - | 73.025 | 144.463 | - | - |
| | | | | | mm | mm | | |
| RS09121 | - | - | - | - | - | - | - | - |
| <u>0</u> | | | | | | | | |
| 6213BI | - | - | - | - | - | - | - | - |
| SB610B | - | 75 mm | - | - | - | - | - | - |
| 53268 | - | 35.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| 3994/392 | - | 101.6 mm | - | 53.975 | - | - | - | - |
| <u>5</u> | | | | mm | | | | |
| <u>J-78</u> | - | 180.000 | - | - | - | _ | - | - |
| | | mm | | | | | | |
| K26X30X | _ | 110.000 | _ | | _ | - | _ | _ |
| 13 | | mm | | | | | | |
| <u>M2181</u> | _ | - | _ | | _ | - | _ | _ |
| NA4924 | _ | _ | _ | _ | _ | _ | _ | _ |
| M6307ZZ | 130 mm | _ | _ | _ | _ | _ | _ | _ |
| MK15161 | - | _ | _ | _ | _ | _ | _ | _ |
| UCFC212 | _ | _ | _ | _ | _ | _ | 42 mm | _ |
| <u>-39</u> | | | | | | | 12 111111 | |
| <u></u> HM88648/ | _ | 85.000 | _ | _ | _ | _ | | _ |
| HM88610 | | mm | | | | | | |
| <u>Y108</u> | | - | _ | | _ | 400.05 | _ | _ |
| <u>1 100</u> | | | | | | mm | | |
| BTM2215 | | 55.000 | _ | _ | _ | - | _ | _ |
| DIWELIO | | mm | | | | | | |
| RNA4822 | | 15.000 | _ | _ | _ | _ | | _ |
| ININATOZZ | | mm | _ | _ | | | | |
| 6902ZZ | _ | - | _ | _ | _ | 495.3 mm | _ | _ |
| <u>SDMK16</u> | | _ | _ | 128 mm | <u>-</u> | -30.0 111111 | <u>-</u> | _ |
| B-3214 | | 17.000 | | - | - | _ | <u> </u> | _ |
| <u>D-02 14</u> | _ | mm | _ | - | | - | - | _ |
| 53416 | - | 65 mm | - | _ | _ | - | - | _ |
| 53308 | - | 70.000 | | _ | _ | | <u>-</u> | _ |
| <u> </u> | _ | 70.000 mm | _ | _ | _ | - | - | _ |
| RNA5903 | - | - | _ | _ | _ | _ | | _ |
| NU2332R | - | 200.000 | - | - | _ | _ | <u> </u> | |
| INUZUUZK | _ | | - | - | _ | - | - | - |
| LIME 1704 | | mm | 12 2 mm | | 22 5 mm | | | |
| HM61704 | - | - | 42.2 mm | - | 32.5 mm | - | - | - |
| 9/HM6170 | | | | | | | | |
| 10 CEE2XD/C | | E0 000 | | | | | | |
| 6552XR/6 | - | 50.000 | - | - | - | - | - | - |

| <u>535</u> | | mm | | | | | | |
|--------------|---|---------|---|---|---|---|---|--------|
| 83A693 | - | - | - | - | - | - | - | - |
| BTM3730 | - | 750 mm | - | - | - | - | - | - |
| <u>6207Z</u> | - | 30.000 | | - | - | - | - | - |
| | | mm | | | | | | |
| 6818-2RU | - | 140.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| <u>45292</u> | - | - | - | - | - | - | - | - |
| SDMK40 | - | 440.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| 33880/33 | - | - | - | - | - | - | - | - |
| <u>822</u> | | | | | | | | |
| HJ-10181 | - | - | - | - | - | - | - | - |
| 2 | | | | | | | | |
| 30312CR | - | 35.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| <u>NF206</u> | - | - | - | - | - | - | - | - |
| 6800-2RS | | - | - | - | - | - | - | - |
| DG4092A | | 340 mm | - | - | - | - | - | 385 mm |
| 2RKBDNS | | | | | | | | |
| <u>H23</u> | | | | | | | | |
| DC4972A | - | - | - | - | - | - | - | 71 mm |
| <u>VW</u> | | | | | | | | |
| HAR021 | - | 105.000 | - | - | - | - | - | - |
| | | mm | | | | | | |
| UC214-44 | - | 20.640 | - | - | - | - | - | - |
| <u>L3</u> | | mm | | | | | | |

Standard INA Linear Rail Guide, Rs 7500 /unit, V W Impex | IDThe INA linear range carries an expansive selection of shafting, ball bushings, guide rails and carriages. A more detailed breakdown of INA's linear capability can

INA Linear Guide Carriage KWVE35-B-HL-G3-V1, KWVE35Four-row linear recirculating ball bearing and guideway assemblies represent the most extensive and complex group within the range of monorail guidance Linear Motion - INA (Schaeffler) - Motion IndustriesINA offers a broad portfolio of bearing solutions, including needle bearings, track rollers, ball screw support bearings, a full lineup of linear products, and much

| ſ | @ @ @ @ @ @ @ @ @ | | | | | | | | |
|---|---------------------------|---------------------|-----------------|-----------------|----------------------|--|--|--|--|
| ŀ | NTN | RHP | SKF | Timken | KOYO | | | | |
| Ī | KAC120 | 34307/34478 | NU314EM | 6902NR | 6208-2RS C3 | | | | |
| | | | | | WITH FENCR | | | | |
| | | | | | <u>COATING</u> | | | | |
| | <u>NUP1048</u> | WMLFN8014 ZZ | <u>SFT2.3/8</u> | <u>6905 ZZ</u> | 6201-ZZ 1/2 | | | | |
| | <u>AXK1528</u> | <u>3NC626HT4 GF</u> | CNP40EC | <u>SMR 63</u> | SAFL208-24MMG | | | | |
| | <u>NF220</u> | <u>JTT-814</u> | <u>21311J</u> | <u>1657-2RS</u> | <u>UCF210-31MM T</u> | | | | |
| Г | | | | | | | | | |

4/7

| <u>37232</u> <u>ML4007</u> <u>FC1.7/16</u> <u>15245</u> | <u>AMS 22</u> |
|---|------------------------|
| <u>UCPA202-10</u> <u>SESDM30 OP</u> <u>LJT2.1/4M</u> <u>6006 2RSNR</u> | RPB14 |
| RNA6902 47880R/47820 SFT1.3/16DEC 698-2RS S | SSSB204-12MMG |
| <u>20R2513P</u> <u>NN3026K</u> <u>7202CTSULP4</u> <u>R4A 2RS</u> | PFT204 |
| M6306 UCFL318-56 SFT35A 6902 2RS | SB204-20MMG |
| 1207K RAXZ 540 1250-1.15/16ECG NAST8ZZUU U | JCFSS206-30MM |
| | <u>SS</u> |
| 65390/65320 114FC81594 ST1.7/16 SMR 74 | JH2020 OH/Q |
| 22336RHA <u>lm11949</u> <u>6005TCG12P4</u> <u>210433-1</u> | WC88511 |
| NF417 SFT1.1/2 7203A5TRDULP4 62032RS X 5/8 S | SALF204-12MMG |
| <u>7008</u> <u>SNP40FS</u> <u>NP65DEC</u> <u>6202-ABEC5</u> | UCFX10-31MM |
| <u>W/CERAMIC</u> | |
| BALL BALL | |
| <u>N232</u> <u>LLRJ1M</u> <u>SFT2.3/16DEC</u> <u>6206-2RS</u> | <u>PFT207</u> |
| <u>UCHA201</u> | JCPA204-20MM A |
| KGX080 SCH2.3/8 FC1.11/16EC 6209-2RS-C3 | <u>FU207</u> |
| <u>UCP211-35SC</u> <u>ST2.3/16DEC</u> <u>2308M</u> <u>6010-2RS</u> | NATR25 PPX |
| <u>KBX030</u> <u>ST1HLT</u> <u>TSFT40DEC</u> <u>TR3580</u> | <u>N14/Q</u> |
| <u>3NC6206ST4</u> <u>SFT1A</u> <u>NMJ2.1/4M</u> <u>6310-2RS-C3</u> | WC87013 |
| <u>W/MPF0779</u> | |
| <u>NU322</u> <u>LRJ3J</u> <u>SLC3/4A</u> <u>AXZF 3590 TN</u> | <u>SA210-31MM</u> |
| <u>UCF201-8</u> <u>XLJ3.1/4MEP1</u> <u>SNP15/16</u> <u>7512DL</u> | <u>UCF206-17MM</u> |
| <u>3NC6206HT4 GF</u> <u>21315KJC3</u> <u>21317KMC3</u> <u>6801 2RS</u> | <u>FLU210</u> |
| <u>DC4926AVW</u> <u>CNP45EC</u> <u>U609</u> <u>F230177</u> | <u>6210K 2RS</u> |
| <u>KGA160</u> <u>SFT2.1/4DEC</u> <u>SLFL1.3/16</u> <u>6205 2RS-3/4</u> | <u>J2420 OH/Q</u> |
| <u>942/932</u> <u>SNP2.3/8DEC</u> <u>TS524U</u> <u>SSXC002ZZ</u> | <u>SB205-15MMG</u> |
| 22338RK TSF1.1/2 SF2.1/8DEC 6005-2RS | NATR17 |
| FENCR/ALVANIA | |
| <u>NO.2</u> | |
| EE243196/243250 LJT8M SLFT1 S6206-2RS 440C U | <u> JCPA208-40MM A</u> |
| <u>SS</u> | |
| 6224 SNP1.1/2EC BT30 6008-2RSR-C3 | <u>T758</u> |
| <u>W/MPF0779</u> | |
| | SAP208-25MMG |
| <u>BLF206-19</u> <u>U528</u> <u>7311CTDUHP4</u> <u>1640-2RS</u> | MS23 1/2M |
| 6005Z SLFT25A 22324EMW33C3 6201 2RS 13MM | ST211-1 3/4 |
| <u>UXPX11-36</u> <u>CNP1.11/16EC</u> <u>SNP1.1/2A</u> <u>R16 2RS</u> | <u>XW 11M</u> |
| <u>47TS815533A</u> <u>22315EKMW33C3</u> <u>FC3/4</u> <u>LR606NPPU</u> | <u>2523</u> |
| 21311RH ST3.3/8 SF1.1/4R 6204-3/4 2RS C3 | SSFR6 |
| | RA1P25LO1 |
| <u>UCPA202</u> <u>SLC2.1/4DEC</u> <u>22226EKJW33C4</u> <u>S6205 2RS</u> | J116 OH/Q |
| UKFS307 MJ2JC3 LJT7.1/2M LR200NPPU | PF210 |
| | UCPK210-31MM |
| | SAFL208-40MMG |
| <u>3NCN1028K</u> <u>MJ1.1/4-2RSJ</u> <u>21308KJ</u> <u>1635-2RS</u> | KR30 PPX |
| <u>54207</u> <u>22319VEC4</u> <u>LRJA1.1/4J</u> <u>208 ES2RS</u> | <u>W04/Q</u> |

| NAO10X22X13 | <u>NP1.1/4SR</u> | SCHB1.3/8HLT | <u>6806 2RS</u> | <u>T759</u> |
|----------------|--------------------|----------------|--|----------------|
| <u>UKC311</u> | J1035-1.7/16DEC | 22244MW33 | S6205-2RS W | MB12/Q |
| | <u>G</u> | | AERO 7 | |
| KDX100 | J1035-1.3/8G | LJ5/8-2ZJ | 6910-2RS | MRI-7 1/2-N |
| 45364R | NMJ3M | SHCTFL207-23L1 | 6202-2RS-1/2 | UCFB206-18MM A |
| | | 1 | | |
| UCT216-50E | PDNF240/9 | SLFT35 | 6017NR | L1260 ZZ/Q |
| NC628 | <u>U522</u> | MP1.7/8 | 6006-2RS1 | UCPAPL207-20A |
| | | | | MMSS |
| K60X68X25 | SFT1.3/4EC | SNP1.3/4EC | 6007-2RSNR | NATR25 |
| <u>UCC306</u> | <u>U608</u> | MMRJB4.1/2EVM | R18-2RS | SSSB205-16MMG |
| NAP211-35 | 22313EJW33C3 | LLRJ4M | 6203 2RS RBCD | NKI 28/20 |
| 65200/65500 | ST1.15/16EC | XLJ10MBC3 | S6201 2RS | 6315 2RSNR |
| UCT209E | MRJ5/8M | 22328EKMW33C3 | HK3520 | UCFX11-34MM |
| ALP205-14 | 21309KJ | 6803 2RS | 6902 ZZ | 495 |
| 45238 | SF1.1/8HLT | 6205-2RS | SR4-ZZ | NATR10 PPX |
| NAP212-39 | SLFL15A | LR5202NPPU | 608 2RS | 6221 NRC3 |
| 47264 | LJ7/8J | SB205-14 | 6802 ZZ | UCPK209-26MM |
| 79/670B | N216M | 885800 | 5200ZZW | 6040 MC3 |
| NKJS70 | SF1.11/16HLT | 6015-2RS | MR3050.A | SAPK204-20MMG |
| 47TS483425B | LT1 1/4B | S6204 2RS | 81130M | SAPFTD206-30M |
| | <u>=</u> | | | MG |
| 7408B | J1025-1G | NCF2210VSQ171 | SW4 W/MOBIL 28 | |
| | | | | G |
| 30234JR | 1055-1.7/8G | 62205-2RS | 538748B | SSUC212-36MM |
| 6309 2RD C3 | 7011CTR3ULP4 | S6900-2RS | 6203 2RS 5/8 | SALF205-14MMG |
| TR070904-1LFT | LJT7/8M | 6205 2RSNR | 6200 2RSNR | 6219 |
| NF304 | LJT5M | 99502H | 6206ZZC3A0G10 | 25877 |
| 23218RHK | 6310TBR12P4 | NNTR 80X200X90 | 6802 2RS | UC214-43MM |
| | | 2ZL | | |
| RF525835A | 22326VEC4 | SX011828 | R6 ZZ NMB | W32/Q |
| 2UJ116 | SHCSFL211-35L1 | 5202ZZW | 2205-2RS | N12 |
| | 1 | <u> </u> | <u>=====================================</u> | <u></u> |
| 3NC6000MD4 | SNP7/8DEC | S6901-2RS | 6204-2RS | UCP205-16MMR3 |
| 02473/02420 | 22316EJW33 | FPR 63 CE | R4A ZZ | NUTR35 |
| LM522548/LM522 | SNP2.3/8 | 62201-2RS-C3 | 6207-1RS | CRM 24 |
| 510 | <u>0.11. 2.070</u> | <u> </u> | <u> </u> | <u> </u> |
| M88046/M88010 | 22313VEC4 | 6904 ZZ | WK2662 | SSUC206-30MM |
| N207 | MJ5/8J | 6028 2RS | FPR 50 CE | SSUC207-23MM |
| F635 | 1135-1.7/16CG | ZARF 3590 LTN | 6010-Z-C3 | WC87509 |
| 6012-2RU | MP35 | R2 NMB | 6207-2RS | SAPF210-30MM |
| DB600-240 | MJT1.3/4M | SMR 104 | R6 2RS | UCP206-20MMR3 |
| 55NQ6720A | 22317EKJW33 | 6901 ZZ | 696-2RS | NTA3446/Q |
| 7948B | J1017-1/2G | 6203-2RS X 1/2 | \$6004 | SBFL205-14MMG |
| K,81216LPB | 22216EKJW33 | 6804 2RS | 1614-2RS | NKI 12/20 |
| NUP340 | J1025-7/8DECG | 6305ZZ | 6201-2RS | NUKR72X |
| <u> </u> | | | <u></u> | |

| <u>M6315</u> | M6315 <u>1726210-2RS</u> | | <u>15120</u> | SSNAFL207-23M |
|------------------|--------------------------|-------------------|-----------------|----------------------|
| | | | | SB/HP |
| MK551 | SLFL3/4DEC | 6210-C3 | RJB075APO | <u>15120</u> |
| <u>UKIP213</u> | 21318KMC3 | <u>5203 2RS</u> | <u>6302</u> | <u>UCF209-26MM</u> |
| <u>54312U</u> | SLFL25EC | SFR4FF | <u>32004X</u> | <u>UCF209-28MM/Q</u> |
| HAR910CA | SLFT1.1/4EC | LM11949/LM1191 | 62022RS X 16MM | RCSM17S |
| | | <u>0 W/FENCR</u> | | |
| <u>UCPX15-48</u> | 21318MC3 | <u>5308NR</u> | <u>6807 2RS</u> | SALF206-30MMG |
| UCFCX14E | 22228EJW33C3 | 6201 2RS 1/2 | <u>51111</u> | SSRIF5632 ZZ |
| | | | | SRL/Q |
| SV 606 ZZST | 22309VEC4 | 6204-ZJEM | <u>24720</u> | SSRI5532 ZZ |
| | | | | SRL/Q |
| - | MFC1.7/16HLT | <u>SR10-2RS W</u> | SR6-2RS | NA49/22 |
| | | AERO 7 | | |
| - | CNP1.7/16DEC | FR8ZZ | NNF5018 | NJ207M |
| | | | ADA-2LSSV | |
| - | FC2.3/8 | <u>SS1616-2RS</u> | - | <u>15118</u> |
| - | LJT1/2M | <u>87505</u> | - | SSL1040 ZZ |
| | | | | SRL/Q |
| - | LLRJ7/8J | - | - | <u>9081</u> |
| - | SLC1.1/4R | - | - | - |
| - | 22311EMW33C3 | - | - | - |

INA Monorail guidance systems - TuliINA monorail guidance systems are compact linear guidance systems that are linear recirculating roller bearing and guideway assemblies RUE. ? six-row INA Linear Guide Carriage KWSE20-G3-V1, KWSE20 - RSLinear recirculating ball bearing and guideway assemblies KUSE are full complement systems and are preloaded. They are used in applications with long

INA (Schaeffler) - Motion IndustriesINA offers a broad portfolio of bearing solutions, including needle bearings, track rollers, ball screw support bearings, a full lineup of linear products, and much INA Linear guides - - the Tuli shopAssembled guides are available with full or hollow ball guides, with a high flexural rigidity support rail, curved guide elements or straight guides. Linear guides also

7 / 7